

The use of Synthetic Aperture Radar (SAR) for Tropical Cyclone Observation

Christopher R. Jackson Tyler Ruff Sean Helfrich

2022 Tropical Cyclone Operations and Research Forum – March 2022



NOAA STAR Synthetic Aperture Radar Products Team

The Center for **Satellite Applications and Research (STAR)** is the science arm of National Environmental Satellite, Data, and Information Service (NESDIS).


STAR's mission is to accelerate the transfer of satellite observations of the land, atmosphere, ocean, and climate from scientific research and development into routine operations, and offer state-of-the-art data, products, and services to decision-makers.


94 Web (FEM 1-5988-2931-09-1-128-39-3) 1939 1937-1-33 29-3 1411-341-2-3 1939 1940-195 1940-19

Synthetic Aperture Radar Products Team has programs to produce


- Ocean Surface Winds Speed
- Tropical Cyclone Wind Speeds
- Flooding and Inundation Maps
- Sea Ice Extent and Characterization

Great Lakes Ice





Super Typhoon Goni – 30 Oct 2020



Himawari-8 22:17 UTC Visible Band

Radarsat-2 21:16 UTC Cross-Polarization

RCM Tropical Cyclone Coverage: Hurricane Linda

NOAA/NESDIS/STAR has in place a fully automated system to produce high resolution near real-time Tropical Cyclone ocean surface wind speed products from SAR

The SAR Tropical Cyclone system currently produces


- 500 m and 3 km wind speed images
- Radial wind profiles
- Maximum wind speed and radius of maximum winds
- 34, 50 and 64 knot quadrant fixes
- Eye location and area (when covered).

SAR is the only instrument capable of resolving the fine details (< 500 m) of the wind field around the eye and providing accurate tropical cyclone (>34 kts) winds (at the ocean surface)

Since 2019 NOAA STAR has been providing SAR Tropical Cyclone winds to forecasters at the Joint Typhoon Warning Center (JTWC).

Good feedback on product utility and packing/delivery







Sensor Characteristics – SAR and ASCAT





	Radarsat-2	Sentinel-1		
Launch	2007	2014 (A) /2016 (B)		
Altitude (km)	798	693		
LT Ascending Node	18:00	18:00		
Look Direction	Side Looking - Right			
Incidence Angle (deg)	20-49	20-45		
Swath Width (km)	50,100,150 300,500	80,240, 400		
Resolution	50/100 m	40/80 m		
Polarization	VV,VH,HH,HV	VV,VH,HH,HV		



- Satellite-based SAR acquires data with a limited footprint and only over a portion of every orbit
 - Sentinel-1 collects for 25 min of every orbit resulting in about 600 scenes/day
- All collections are programed in advance
 - S1 "standard" pattern*



SAR TC Data Acquisition

- Tropical cyclone collection opportunities are identified by comparing forecasted storm tracks against possible SAR acquisition time and footprints.
 - Need to have a storm forecast track
 - The storm must persist for long enough for a collection to be scheduled and acquired
 - The location and timing of the SAR footprint must align with the eye location and track
- Sentinel-1 TC planning is done under Copernicus' Cyclone Monitoring Service (CYMS).
 - Experts at CLS (Collecte Localisation Satellite) and IFREMER coordinate with ESA Mission Planning Team to develop the acquisition schedule and program the satellite's collections.
 - Formal agreement to do planning between IFREMER/CLS and ESA within a dedicated ESA project
 - Monthly collection limits constrained by current S1 utilization for current collections
- Radarsat-2 (STAR) TC acquisition planning is done by researchers from NOAA STAR (Center for Satellite Applications and Research) in cooperation with its U.S. Government partners and MDA Space
- The RS-2 imagery are "charged" against a U.S. Government allotment quota *Sentinel-1 as part of its daily "standard collection pattern" does fortuitously acquire tropical cyclone imagery (usually close to land)

 The RS-2 imagery are "charged" against a U.S. Government allotment quota tropical cyclone collections are programmed 2-5 days in advance.

SAROPS Tropical Cyclone Winds System


Automated Data Acquisition

- Sentinel-1
 - Collects global hourly tropical cyclone forecasts (from NHC/JTWC B Deck and NOAA SAB) and checks for corresponding SAR imagery
- Radarsat-2
 - Collection times input into the system based on planning

SAROPS System Processing


- 1) Produces cross-pol ocean surface wind speeds
- 2) Determines if the storm "eye" is in the scene.
- 3) Produces a refined storm center location
- Produce derived TC specific products (radial wind plots per quadrant, ATCF/radial text files, 3km-sampled wind netCDFs)
- 5) Send to web and push files to ATCF and AWIPS

Latency (faster is better!) < 3 hours




SAR Derived TC Information Location / Profiles / Fixes

Radarsat-2 (21 Aug 2021 00:22 UTC) Cross-Pol AL072021 Grace - 95% Fixes



Key TC information from SAR


- Identifying the center of circulation (when covered).
- Maximum wind speed and Radius of max winds
- Radial wind profiles (per quadrant 3km sampling)
- 34, 50 and 64 knot quadrant fixes




TC SAR Winds - Overview

- SAR tropical cyclone ocean surface wind speeds are produced by converting the Cross-Polarization (VH or HV) normalized radar cross section (NRCS) backscatter via a specially developed geophysical model function (Mouche et al. 2017)
 - Requires good calibration and noise removal
- The SAR image is essentially an instantaneous snapshot of the surface roughness at < 100m resolution.
 - 500 km wide image is acquired in about 30 sec
- The SAR wind speed (intensity) will be dependent on NRCS spatial averaging used in the GMF.
 - Higher averaging produces lower "maximum" wind speeds
- To produce a "one minute average" SAR wind value the imagery are spatially averaged to 3 km

50 m/s x 60 sec = 3 km ("Mean" storm wind speed x 1 minute)



SAR Cross-Pol Winds – Validation (What is Truth?)



Extensive High-Resolution Synthetic Aperture Radar (SAR) Data Analysis of Tropical Cyclones: Comparisons with SFMR Flights and Best Track

CLEMENT COMBOT, ALEXIS MOUCHE, JOHN KNAFF, YILI ZHAO, YUAN ZHAO, LEO VINOUR, 2020 Monthly Weather Review, 148(11), 4545-4563.

- Significant work has been done to validate the C-Band cross-polarization GMF
 - Mouche et al. 2019, Combot et al. 2020
- Combot et al. compared 29 SFMR / SAR winds from 13 storms) between 2015 and 2018 (23 Atlantic and 6 Pacific)


SAR / SFMR Winds Bias = -0.24 m/s RMSE=3.86 m/s

- These number are comparable to SFMR / SMAP comparisons
 - Bias 0.64 m/s and Std Dev 3.11 m/s Collections / 5 storms)
 - Meissner, Ricciardulli and Wentz 2017 Bulletin of the American Meteorological Society, 98(8), 1660-1677

SMAP resolution 40 km

(8

SAROPS Tropical Cyclone Winds System



https://www.star.nesdis.noaa.gov/socd/mecb/sar/AKDEMO_products/APL_winds/tropical/index.html

SAR TC Acquisitions 2020 and 2021

Atlantic	Central Pacific	Eastern Pacific	North Indian Ocean	Southern	Western Pacific
AL052021 / ELSA	No storms available	EP042021/DOLORES	10012021 / TAUKTAE	Hemisphere	WP022021 / SURIGAE
AL072021 / GRACE		EP052021 / ENRIQUE	10032021 / SHAHEEN-GU	SH052021 / YASA	WP062021 / CHAMPI
AL082021 / HENRI		EP062021 / FELICIA		SH062021 / ZAZU	WP092021 / IN-FA
AL092021 / IDA		EP122021/LINDA		SH072021 / CHALANE	WP132021/LUPIT
AL122021 / LARRY		EP142021/NORA		SH122021 / ELOISE	WP182021 / CONSON
AL142021 / NICHOLAS		EP152021 / OLAF		SH152021 / ANA	WP192021 / CHANTHU
AL152021 / ODETTE		EP162021 / PAMELA		SH192021 / FARAJI	WP202021 / MINDULLE
AL162021 / PETER		EP172021 / RICK		SH212021 / GUAMBE	WP242021 / KOMPASU
AL182021 / SAM				SH222021 / MARIAN	WP252021 / MALOU
AL202021 / VICTOR				SH232021 / NIRAN	
AL212021 / WANDA				SH242021 / HABANA	
				SH252021 / IMAN	
				SH262021 / SEROJA	
				SH292021/JOBO	

_	u	/	

Atlantic	Central Pacific	Eastern Pacific	North Indian Ocean	Southern Hemisphere	Western Pacific
AL082020 / HANNA	No storms available	EP082020 / DOUGLAS	10012020 / AMPHAN	Heilisphere	WP032020 / HAGUPIT
AL092020 / ISAIAS		EP122020 / GENEVIEVE		SH022020 / BELNA	WP082020 / HIGOS
AL132020 / LAURA		EP182020 / MARIE		SH052020 / CALVINIA	WP092020 / BAVI
AL162020 / NANA				SH082020 / TINO	WP102020 / MAYSAK
AL172020 / PAULETTE				SH132020 / FRANCISCO	WP112020 / HAISHEN
AL192020 / SALLY				SH222020 / HEROLD	WP162020 / CHAN-HOM
AL202020 / TEDDY				SH232020 / GRETEL	WP192020 / SAUDEL
AL222020 / BETA				SH252020 / HAROLD	WP212020 / MOLAVE
AL242020 / ALPHA					WP222020 / GONI
AL262020 / DELTA					WP232020 / ATSANI
AL272020 / EPSILON					WP252020 / VAMCO
41 000000 (3ET4					

AL292020 / ETA

Overview

Season	Cyclones	# Dates	# Eye Hits
2020	35	102	58
2021	43	133	74

Frame Count

Year	Sentinel-1	RadarSat-2	RCM
2020	196	37	0
2021	209	50	19

CYMS Tropical Cyclone Winds Archive





About 100 scenes over TC collected per year

Worldwide coverage

Equal contribution from the 3 sensors


All TC category are sampled.





SAR Derived Ocean Surface Winds (Core Product)

- Tropical Cyclone winds products are a specific example of the more general SAR based ocean surface winds effort at STAR and OSPO
 - SAR winds was brought to OSPO operations in 2014 with Radarsat-2 and expanded in 2016 with Sentinel
- The OSPO AOI covers the U.S. EEZ (including Alaska, Hawaii and U.S. Territories) as well as the Caribbean and the North Atlantic
 - Near Real Time with 4-10 hours latency
 - Winds extend right up to the coastlines
 - Products in NetCDF, PNG, KMZ format
 - Goal is to get all the WFO's to uses these data
 - Working with TOWR-S to make a standard feature in AWIPS
 - Interest from Alaska, American Samoa, OPC
- In March 2021 NOAA obtained access to the data from Radarsat Constellation Mission (RCM) which improved (daily) coverage of area around Alaska, the North Pacific and North Atlantic




Sentinel 1A SAR Co-Pol Winds 26 January 2020 04:07 UTC


Final Notes

- There is an email distribution list to inform users when a new SAR TC collection has been planned
 - Pass along contact information if interested
- Additional satellites coming online will help improved coverage.
 - Radarsat Constellation Mission (RCM)
 - Sentinel-1C (2022)
 - NASA NISAR (2023)
- Be glad to have follow-up meeting to further discuss various SAR coverage/ product / delivery details or to provide a seminar/training

POC: Christoher.Jackson@noaa.gov

Thank You





EOS paper: https://eos.org/features/chasing-cyclones-from-space

Other Resources

STAR Tropical

www.star.nesdis.noaa.gov/socd/mecb/sar/AKDEMO_products/APL_winds/tropical/index.html

STAR S1 Winds

www.star.nesdis.noaa.gov/socd/mecb/sar/AKDEMO_products/APL_winds/wind_images2/sarwinds_daily_rcs.html

STAR Radarsat-2/RCM Winds

www.star.nesdis.noaa.gov/socd/mecb/sar/AKDEMO_products/APL_winds/wind_images_nic/sarwinds_daily_now.html

OSPO RS2/S1 Winds

www.ospo.noaa.gov/Products/ocean/sar/index.html

ESA Copernicus Scihub

https://scihub.copernicus.eu/dhus/#/home

EODMS

https://www.eodms-sgdot.nrcan-rncan.gc.ca/index-en.html

CyclObs

https://cyclobs.ifremer.fr/app/

NOAA Satellite Book Club Briefing

https://www.youtube.com/watch?v=u-sUuLxCpho&t=3s